L Number	Hits	Search Text	DB	Time stamp
-	4649	(discard\$) near3 (packet\$1)	USPAT;	2004/07/25 11:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	153478	(discard\$) near3 (fault\$4 or error\$4 or spuriou\$4) near "3"	USPAT;	2003/11/14 12:14
		(packet\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	24	(disparedt) adia (faultt 4 au amout 4 au annieut 4) adia	IBM_TDB USPAT;	2002/11/14 15:14
- 	31	(discard\$) adj3 (fault\$4 or error\$4 or spuriou\$4) adj3	USPAT; US-PGPUB;	2003/11/14 15:14
		(packet\$1)	EPO; JPO;	
			DERWENT;	
		, in the second	IBM_TDB	
_	18	((discard\$) adj3 (fault\$4 or error\$4 or spuriou\$4) adj3	USPAT;	2003/11/14 12:36
		(discards) adjo (radics) or enough or spandas () adjo	US-PGPUB;	
		(EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25	("4323966" "4333144" "4658351" "4692918"	USPAT	2003/11/14 12:21
		"4805107" "4905233" "4939726" "4951193"		
		"4956841" "4999829" "5001702" "5016163"		
		"5018138" "5020054" "5020055" "5048011"		
		"5136715" "5222221" "5315587" "5325529"		
		"5357612" "5367643" "5404550" "5452454"		
	_	"5465372").PN.	LICE	2002/44/44 22 22
-	0	(switch or router) and (rout\$4 adj3 (table\$1 or tree\$\$)) and	USPAT;	2003/11/14 12:39
		(plura\$4 adj10 port\$1) and (discard\$4 adj10 (fault\$4 or	US-PGPUB;	
		error\$4) adj10 packet\$) and @ad<20000807	EPO; JPO;	
			DERWENT;	
_	606	(switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and	IBM_TDB USPAT;	2003/11/14 12:40
-	000	(switch or router) and (routs4 adj3 (tables1 or treess)) and (plura\$4 adj10 port\$1) and @ad<20000807	US-PGPUB;	2003/11/17 12.70
		(plaidy i dujito portgi) and wad 20000007	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	370/218.ccls. and ((switch or router) and (rout\$4 adj3	USPAT;	2003/11/14 12:41
		(table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and	US-PGPUB;	
		@ad<20000807)	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	362	(switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and	USPAT;	2003/11/14 12:41
.		(plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4	US-PGPUB;	
		or drop\$4)	EPO; JPO;	
			DERWENT;	
	_	270/040 1// 11 1 1 1 1 1 1 1	IBM_TDB	2002/44/44 42 55
-	4	370/218.ccls. and ((switch or router) and (rout\$4 adj3	USPAT;	2003/11/14 13:26
		(table\$1 or tree\$\$)) and (plura\$4 adj10 port\$1) and	US-PGPUB;	
		@ad<20000807 and (discard\$4 or drop\$4))	EPO; JPO;	
			DERWENT; IBM_TDB	
_	7	 ("5404461" "5432783" "5838681" "5841771"	USPAT	2003/11/14 12:46
-	'	(3404461 3432763 3636661 3641771 "5862136" "5991297" "6016310").PN.	USPAT	2003/11/14 12:40
_	4	370/217.ccls. and ((switch or router) and (rout\$4 adj3	USPAT;	2003/11/14 13:08
·	7	(table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and	US-PGPUB;	2003/11/14 13:00
		@ad<20000807 and (discard\$4 or drop\$4))	EPO; JPO;	1
		Can recognize (disodiate tot dispet))	DERWENT;	
			IBM_TDB	
ــــــــــــــــــــــــــــــــــــــ	<u> </u>		1 -01 - 100	

-	15	("4306313" "4837856" "4847837" "4897841" "4984240" "5016244" "5088091" "5103446" "5132962" "5161156" "5198808" "5200949" "5218600" "5218601" "5239537").PN.	USPAT	2003/11/14 12:59
-	0	370/241.1.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 16:15
-	0	370/243.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO;	2003/11/14 13:08
	<u>. –</u> .		DERWENT; IBM_TDB	
-	1	370/244.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:09
-	0	370/242.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:09
-	0	370/245.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:10
-	13	370/351.ccls. and ((switch or router) and (rout\$4 adj3 (table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and @ad<20000807 and (discard\$4 or drop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 13:23
-	20	("4642607" "4715030" "5088090" "5150360" "5153876" "5179554" "5222064" "5264742" "5309437" "5321695" "5337309" "5421024" "5440546" "5450408" "5457681" "5477547" "5500860" "5521913" "5537099" "5598406").PN.	USPAT	2003/11/14 13:16
-	1430	(determins or compars or computs or same (ports near of numbers or address)) same (source near of address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 17:00
-	6	370/218.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:15
-	5	("5515376" "5838681" "6236643" "6363077" "6393021").PN.	USPAT	2003/11/14 14:06
-	734	370/\$.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:17
-	218	(370/\$.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))) and ((discard\$4 or flush\$4 or drop\$4) same packet\$1) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 14:16

-	0	370/241.1.ccls. and ((370/\$.ccls. and ((determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or	USPAT; US-PGPUB;	2003/11/14 14:18
		address\$3)) same (source near5 address\$2))) and	EPO; JPO;	
		((discard\$4 or flush\$4 or drop\$4) same packet\$1) and	DERWENT;	
		@ad<20000807)	IBM_TDB	
-	0	370/243.ccls. and ((370/\$.ccls. and ((determin\$ or	USPAT;	2003/11/14 14:18
		compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or		
	1	address\$3)) same (source near5 address\$2))) and	EPO; JPO;	
		((discard\$4 or flush\$4 or drop\$4) same packet\$1) and	DERWENT;	
		@ad<20000807)	IBM_TDB	2002/11/11/11
-	2	370/244.ccls. and ((370/\$.ccls. and ((determin\$ or	USPAT;	2003/11/14 14:19
]	compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2))) and	US-PGPUB; EPO; JPO;	
		((discard\$4 or flush\$4 or drop\$4) same packet\$1) and	DERWENT;	
		((discald) of hiship of diopsy) same packets() and (and 20000807)	IBM_TDB	
_	1	370/242.ccls. and ((370/\$.ccls. and ((determin\$ or	USPAT;	2003/11/14 14:20
	_	compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or		2005/11/11/11/20
		address\$3)) same (source near5 address\$2))) and	EPO; JPO;	
		((discard\$4 or flush\$4 or drop\$4) same packet\$1) and	DERWENT;	
		@ad<20000807)	IBM_TDB	
-	2	370/245.ccls. and ((370/\$.ccls. and ((determin\$ or	USPAT;	2003/11/14 14:20
		compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or		
		address\$3)) same (source near5 address\$2))) and	EPO; JPO;	
		((discard\$4 or flush\$4 or drop\$4) same packet\$1) and	DERWENT;	
		@ad<20000807)	IBM_TDB	2002/44/444422
-	6	("4901348" "5124984" "5161192" "5177788" "5251203" "5311593").PN.	USPAT	2003/11/14 14:22
-	3	("5136580" "5343471" "5371868").PN.	USPAT	2003/11/14 14:39
-	26	5477547.URPN.	USPAT	2003/11/14 14:41
-	1465	(discard\$) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 17:31
			IBM_TDB	
-	74	((discard\$) same (fault\$4 or error\$4 or spuriou\$4) same	USPAT;	2003/11/14 17:32
		(packet\$1)) and ((determin\$4 or compar\$4) same port\$1	US-PGPUB;	
		same source same address\$4)	EPO; JPO;	
			DERWENT;	
	1	(((d)d)	IBM_TDB	2002/11/14 15:17
-	48	(((discard\$) same (fault\$4 or error\$4 or spuriou\$4) same	USPAT;	2003/11/14 15:17
		(packet\$1)) and ((determin\$4 or compar\$4) same port\$1 same source same address\$4)) and @ad<20000807	US-PGPUB; EPO; JPO;	
		Same Source Same address \$7)) and wad < 20000007	DERWENT;	
			IBM_TDB	
_	0	370/245.ccls. and ((switch or router) and (rout\$4 adj3	USPAT;	2003/11/14 16:59
		(table\$1 or tree\$s)) and (plura\$4 adj10 port\$1) and	US-PGPUB;	=====================================
		@ad<20000807 and (discard\$4 or drop\$4))	EPO; JPO;	
		(, , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	
-	207	370/245.ccls.	USPAT; US-PGPUB;	2003/11/14 16:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	370/245.ccls. and (discard\$4 same packet\$4) and	USPAT;	2003/11/14 16:19
		@ad<20000807	US-PGPUB;	, ,=:=:.25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	2	370/245.ccls. and (discard\$4 same packet\$4) and @ad<20000807 and port\$1	USPAT; US-PGPUB;	2003/11/14 16:35
		' '	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	585	370/242.ccls.	USPAT;	2003/11/14 16:26
			US-PGPUB;	·
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	4	370/242.ccls. and (discard\$4 same packet\$4) and	USPAT;	2003/11/14 16:27
		@ad<20000807 and port\$1	US-PGPUB;	
	ľ - ·	· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1214	370/241.ccls.	USPAT;	2003/11/14 16:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	8	 370/241.ccls. and (discard\$4 same packet\$4) and	IBM_TDB USPAT;	2003/11/14 16:59
-	•	@ad<20000807 and port\$1	US-PGPUB;	2003/11/14 10.39
		@ad~2000000/ and bortat	EPO; JPO;	
			DERWENT;	
			IBM_TDB	`
_	163	"OSPF" and ((discard\$) near3 (packet\$1))	USPAT;	2003/11/14 16:35
	1	Corr and ((alouardy risalis (pasitotic))	US-PGPUB;	2000,11,1:10,00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	("OSPF" and ((discard\$) near3 (packet\$1))) and ((discard\$)	USPAT;	2003/11/14 16:35
		same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1))	US-PGPUB;	
			EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	
-	4	(("OSPF" and ((discard\$) near3 (packet\$1))) and ((discard\$)	USPAT;	2003/11/14 18:24
		same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)))	US-PGPUB;	
		and @ad<20000807 and port\$1	EPO; JPO;	
1			DERWENT;	
	40	//owneett4 or anticipate4 or prejecte4\ same acute4\ ===	IBM_TDB	2002/11/14 16:52
_	49	((expect\$4 or anticipat\$4 or project\$4) near5 port\$1) and ((actual or real or definite) near5 port\$1) and ((erro\$4 or	USPAT;	2003/11/14 16:53
	1	((actual or real or definite) hears port\$1) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake)	US-PGPUB; EPO; JPO;	
	1	near5 port\$1)	DERWENT;	
		Hears Policht)	IBM_TDB	
_	28	(((expect\$4 or anticipat\$4 or project\$4) near5 port\$1) and	USPAT;	2003/11/14 16:54
		((actual or real or definite) near5 port\$1) and ((erro\$4 or	US-PGPUB;	= = = = = = = = = = = = = = = = = = =
		fault\$4 or corrupt\$4 or wrong or inaccurate or mistake)	EPO; JPO;	
		near5 port\$1)) and @ad<20000807	DERWENT;	
		_ · · // -	IBM_TDB	
-	820	((expect\$4 or anticipat\$4 or project\$4) same port\$1) and	USPAT;	2003/11/14 16:54
		((actual or real or definite) same port\$1) and ((erro\$4 or	US-PGPUB;	·
		fault\$4 or corrupt\$4 or wrong or inaccurate or mistake)	EPO; JPO;	
		same port\$1)	DERWENT;	
			IBM_TDB	
-	30	((expect\$4 or anticipat\$4 or project\$4) adj10 port\$1) and	USPAT;	2003/11/14 16:54
		((actual or real or definite) adj10 port\$1) and ((erro\$4 or	US-PGPUB;	
		fault\$4 or corrupt\$4 or wrong or inaccurate or mistake)	EPO; JPO;	
		adj10 port\$1)	DERWENT;	
	L		IBM_TDB	

-	23	(((expect\$4 or anticipat\$4 or project\$4) adj10 port\$1) and ((actual or real or definite) adj10 port\$1) and ((erro\$4 or	USPAT; US-PGPUB;	2004/07/26 08:49
		fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) adj10 port\$1)) and @ad<20000807	EPO; JPO; DERWENT; IBM_TDB	
-	744	370/235.ccls.	USPAT; US-PGPUB;	2003/11/14 16:59
			EPO; JPO; DERWENT; IBM_TDB	
-	71	370/235.ccls. and (discard\$4 same packet\$4) and @ad<20000807 and port\$1	USPAT; US-PGPUB;	2003/11/14 16:59
			TEPO; JPO; DERWENT; IBM_TDB	
-	13	(370/235.ccls. and (discard\$4 same packet\$4) and @ad<20000807 and port\$1) and (determin\$ or compar\$4 or comput\$4) same (port\$1 near5 (number\$1 or address\$3)) same (source near5 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 17:20
-	2	("6075776").PN.	IBM_TDB USPAT; US-PGPUB;	2003/11/14 17:30
	2214	(discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/07/26 08:48
-	2214	same (packet\$1)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2007/07/20 00.40
-	1370	((discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 17:31
-	391	(((discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and @ad<20000807) and ((determin\$4 or compar\$4) same port\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 17:32
-	98	(((discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and @ad<20000807) and ((determin\$4 or compar\$4) adj2 port\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/14 17:32
-	172	(((discard\$ or drop\$4) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1)) and @ad<20000807) and ((determin\$4 or compar\$4) adj10 port\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/14 17:33
-	2	("5606551").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/11/14 18:19
-	2	("5138615").PN.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/14 18:20
			DERWENT; IBM_TDB	

	-	2	("5752003").PN.	USPAT; US-PGPUB;	2003/11/14 18:21
	-	2	("6405248").PN.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/14 18:21
_	-	8	(("OSPF" and ((discard\$) near3 (packet\$1))) and ((discard\$) same (fault\$4 or error\$4 or spuriou\$4) same (packet\$1))) and @ad<20000807	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/14 18:24
	ı	8	("5596719" "5638516" "5802503" "5845091"	DERWENT; IBM_TDB USPAT	2003/11/14 18:25
	-	12	"6044075" "6347078" "6363319" "6438133").PN. ("5088090" "5214646" "5280480" "5327431" "5434976" "5444692" "5448565" "5590285"	USPAT	2003/11/14 18:34
	-	22	"5600798" "5655140" "5734824" "6137797").PN. (US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-6016310-\$ or US-5404461-\$ or US-5844887-\$ or US-5764624-\$ or US-5781715-\$ or	USPAT	2003/11/14 19:24
	-	4	US-5841990-\$ or US-5500860-\$ or US-6535489-\$ or US-6363077-\$ or US-5737525-\$ or US-5421024-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-5845091-\$ or US-6347078-\$).did. ((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-6016310-\$ or US-5404461-\$ or US-5844887-\$ or US-5764624-\$ or US-5781715-\$ or US-5841990-\$ or US-5500860-\$ or US-6535489-\$ or US-6363077-\$ or US-5737525-\$ or US-5421024-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-5845091-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/14 19:24
	-	1	US-6347078-\$).did.) and ((fault or error or corrupt) adj1 packet\$1) us-20030212903-\$.did.	USPAT; US-PGPUB;	2003/11/15 18:41
	-	2	("6321338").PN.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/15 17:29
	-	303	packet adj1 handler	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/15 18:34
	-	247	(packet adj1 handler) and @ad<20000807	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/11/15 18:24
	-	23	((packet adj1 handler) and @ad<20000807) and (discard\$4 near5 packet\$1)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/15 17:44
				IBM_TDB	

USPAT;					
1004 (packet\$1 adj1 processor\$1) and @ad<20000807 USPAT, US-PGPUB; PEO; JPO; DERWENT; IBM, TDB USPAT; US-	-	1624	packet\$1 adj1 processor\$1		2003/11/15 17:44
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;				1	
1004 (packet\$1 adj1 processor\$1) and @ad<20000807 USPAT; US-PGPUB; EPO, JPO, DERWENT; IBM TDB (discard\$4 near5 packet\$1) EPO, JPO, DERWENT; IBM TDB (discard\$4 near5 packet\$1) EPO, JPO, DERWENT; IBM TDB (USPAT; US-PGPUB; EPO, JPO, JPO, JPO, JPO, JPO, JPO, JPO, J					
1004 (packet\$1 adj1 processor\$1) and @ad<20000807 USPAT; US-PGPUB; EPG, JPO; DERWENT; IBM, TDB (discard\$4 near5 packet\$1) DERWENT; IBM, TDB USPAT; US-PGPUB; EPG, JPO; DERWENT; IBM, TDB USPAT; US-PGPU				DERWENT;	
US-PGPUB FPC; JPC; DPC DERWENT; IBM, TDB USPAT; US-PGPUB, EPC; JPC; DPC; DPC; JPC; DPC; JPC; DPC; JPC; DPC; JPC; DPC; JPC; JPC; DPC; JPC; JPC; DPC; JPC; JPC; JPC; DPC; JPC; JPC; JPC; JPC; JPC; DPC; JPC; JPC; JPC; JPC; JPC; JPC; JPC; J				IBM_TDB	
Proj. proj. Proj. proj	-	1004	(packet\$1 adj1 processor\$1) and @ad<20000807	USPAT;	2003/11/15 17:44
DERWENT; IBM_TDB USPAT;				US-PGPUB;	
DERWENT; IBM, TDB USPAT; USP-GPUB; EPO; JPO; DERWENT; IBM, TDB USPAT; USPAT; USPAT; USP-GPUB; EPO; JPO; DERWENT; IBM, TDB USP-GPUB; EPO; JPO; DERWENT; IBM					
196					
196 ((packet\$1 adj1 processor\$1) and @ad<20000807) and (discard\$4 near\$ packet\$1) USPAT, USPOPUB; PO; JPO; DERWENT; IBM_TDB (USPAT, USPOPUB; PO; JPO; DERWENT; IBM_TDB USPAT, USPOPUB; PO; JPO; DERWENT; IBM_TDB USPAT; USPOPUB; PO; JPO; JPO; DERWENT; IBM_TDB USPAT; USPOPUB; PO; JPO; DERWENT; ISM_TDB USPAT; USPOPUB; PO;					
(discard\$4 near5 packet\$1) ((packet\$1 adj1 processor\$1) and @ad<20000807) and (discard\$4 near5 packet\$1) and ports ((packet adj1 filter) and @ad<20000807) ((-	196	((packet\$1 adi1 processor\$1) and @ad<20000807) and		2003/11/15 18:24
- 105 ((packet\$1 adj1 processor\$1) and @ad<20000807) and (discard\$4 near5 packet\$1) and ports					2000, 22, 20 20 12 1
- 105 ((packet\$1 adj1 processor\$1) and @ad<20000807) and (discard\$4 near\$ packet\$1) and port\$ USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; J		·			
105					
105					
Cidiscard\$4 near5 packet\$1) and ports	_	105	((nacket\$1 adi1 processor\$1) and @ad<20000807) and		2003/11/15 17:45
- 735 packet adj1 filter - 735 packet adj1 filter - 412 (packet adj1 filter) and @ad<20000807 - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 77 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 79 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 70 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 8 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 9 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 10 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 10 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 24 packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 24 packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 24 packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 24 packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 25 003/11/15 18:25 - 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		103			2003/11/13 17.43
- 735 packet adj1 filter DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB DERWENT; IB			(discards ricars packets) and ports		!
- 735 packet adj1 filter - 412 (packet adj1 filter) and @ad<20000807 - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 79 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 70 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 70 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 70 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 70 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 70 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 70 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 70 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 71 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 71 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 71 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 71 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 72 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 73 (packet\$1) - 74 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 75 (packet\$1) - 76 (packet\$1) - 77 (packet\$1) - 78 (packet\$1) - 80 (packet\$1) - 8					
- 735 packet adj1 filter					
- 412 (packet adj1 filter) and @ad<20000807 - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 57 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 45 packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 1 us-20030179707-\$.did. - 1 us-20030179707-\$.did. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM		705	madest add filter		2002/44/45 40 01
- 412 (packet adj1 filter) and @ad<20000807 - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 79 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 70 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 70 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 70 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 70 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 70 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 71 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 71 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 71 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 71 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 72 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 73 (packet\$1 adj5 port\$1) - 74 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 75 (packet\$1 adj5 port\$1) - 76 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 76 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 76 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 76 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 77 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 77 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 77 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 78 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 78 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 78 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 80 (packet adj1	-	/35	packet adji filter		2003/11/15 18:24
- 412 (packet adj1 filter) and @ad<20000807 - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 77 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 79 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 80 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 80 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 80 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 80 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 80 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 80 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 80 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) adj5 packet\$1) and port\$1 - 80 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) adj5 packet\$1 and (network adj1 security) - 80 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) adj5 packet\$1 adj5 port\$1 - 80 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1 usPcGPUB; ePO; JPO; DERWENT; IBM_TDB usPaT; usPcGPUB; ePO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
- 412 (packet adj1 filter) and @ad<20000807 - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 57 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) adj5 packet\$1 adj5 port\$1) - 24 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 24 packet adj1 filter) and (packet adj1 security) - 1 us-20030179707-\$.did. 1 us-20030179707-\$.did. Us-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PG					
- 412 (packet adj1 filter) and @ad<20000807 - 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 57 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 57 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 24 packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 1 us-20030179707-\$.did. 2003/11/15 18:25 2003/11/15 18:25 2003/11/15 18:25 2003/11/15 18:25 2003/11/15 18:25 2003/11/15 18:35 2003/11/15 18:35 2003/11/15 18:35 2003/11/15 18:35 2003/11/15 18:35 2003/11/15 18:35					
- 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1)					
- 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 57 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) - 45 packet\$1) and port\$1 - 46 packet adj1 handler\$1 and (network adj1 security) - 47 packet adj1 handler\$1 and (network adj1 security) - 48 packet adj1 handler\$1 and (network adj1 security) - 50 packet\$1 by pocket\$1 b	-	412	(packet adj1 filter) and @ad<20000807		2003/11/15 18:24
T8					
- 78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near5 packet\$1) - 57 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 24 packet adj1 handler\$1 and (network adj1 security) - 1 us-20030179707-\$.did. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				EPO; JPO;	
78 ((packet adj1 filter) and @ad<20000807) and (discard\$4 near\$ packet\$1) 57 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) 58 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) 59 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) 50 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) 50 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) 50 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) 50 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) 51 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) 52 (packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 port\$1) 53 (packet adj1 filter) and (packet adj1 security) 54 (packet adj1 filter) and (packet adj1 security) 55 (packet adj1 filter) and (packet adj1 security) 56 (packet adj1 filter) and (packet adj1 security) 57 (packet adj1 filter) and (packet adj1 security) 58 (packet adj1 filter) and (packet adj1 security) 59 (packet adj1 filter) and (packet adj1 security) 50 (packet adj1 filter) and (pack				DERWENT;	
Near5 packet\$1)				IBM_TDB	
Near5 packet\$1)	-	78	((packet adj1 filter) and @ad<20000807) and (discard\$4	USPAT;	2003/11/15 18:24
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM		j	near5 packet\$1)	US-PGPUB;	
- 57 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 24 packet adj1 handler\$1 and (network adj1 security) - 1 us-20030179707-\$.did. DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO					
- 57					
-				1	
adj5 packet\$1)	_	57	((packet adi1 filter) and @ad<20000807) and (discard\$4		2003/11/15 18:25
Compact Comp					,,
- 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 24 packet adj1 handler\$1 and (network adj1 security) - 1 us-20030179707-\$.did. DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPU			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
- 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 24 packet adj1 handler\$1 and (network adj1 security) - 1 us-20030179707-\$.did. 1 us-20030179707-\$.did. Us-2003/11/15 19:43 US-PGPUB; EPO; JPO; DERWENT;					
- 0 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 24 packet adj1 handler\$1 and (network adj1 security) - 1 us-20030179707-\$.did. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; DERWENT; ISM_TDB USPAT					
adj5 packet\$1 adj5 port\$1) - 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 - 24 packet adj1 handler\$1 and (network adj1 security) - 1 us-20030179707-\$.did. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	n	((packet adi1 filter) and @ad<20000807) and (discard\$4		2003/11/15 18:25
- 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					-000, 11, 10 10.25
- 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-P	1				
- 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 44 ((packet adj1 filter) and @ad<20000807) and (discard\$4 adj5 packet\$1) and port\$1 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
adj5 packet\$1) and port\$1 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	1.	14	((nacket adi1 filter) and @ad<20000807) and (discardt4		2003/11/15 10:25
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;	1				2003/11/13 10:23
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			and hackerall and horeat		
- 24 packet adj1 handler\$1 and (network adj1 security) - USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	1				
- 24 packet adj1 handler\$1 and (network adj1 security) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-20030179707-\$.did. US-PGPUB; EPO; JPO; DERWENT;	1		project add handlowt and (net		2002/44/45 40:05
EPO; JPO; DERWENT; IBM_TDB - 1 us-20030179707-\$.did. USPAT; 2003/11/15 19:43 US-PGPUB; EPO; JPO; DERWENT;	-	24	packet adji nandier\$i and (network adji security)		2003/11/15 18:35
DERWENT; IBM_TDB USPAT; US-20030179707-\$.did. US-PGPUB; EPO; JPO; DERWENT;					
IBM_TDB					
- 1 us-20030179707-\$.did. USPAT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT;					
EPO; JPO; DERWENT;	-	1	us-20030179707-\$.did.		2003/11/15 19:43
DERWENT;					
IBM_TDB					
		<u> </u>		IBM_TDB	

	2	("6321338").PN.	USPAT; US-PGPUB; EPO; JPO;	2003/11/15 18:
			DERWENT; IBM_TDB	
-	9	("4672609" "4773028" "5210704" "5539659" "5557742" "5706210" "5790799" "5974237" "6009467").PN.	USPAT	2003/11/15 18:4
-	1349	rout\$4 adj1 (error\$1 or fault\$1)	USPAT; US-PGPUB;	2003/11/15 19:4
			EPO; JPO; DERWENT;	
-	2	("6321338").PN.	IBM_TDB USPAT; US-PGPUB;	2003/11/15 19:2
			EPO; JPO; DERWENT;	
-	2	("6522656").PN.	IBM_TDB USPAT; US-PGPUB;	2003/11/15 19:4
		·	EPO; JPO; DERWENT; IBM_TDB	
-	3	"6496940"	USPAT; US-PGPUB;	2003/11/15 19:4
			EPO; JPO; DERWENT; IBM_TDB	
-	2	("6496940").PN.	USPAT; US-PGPUB;	2003/11/15 19:
			EPO; JPO; DERWENT; IBM_TDB	
-	426	compar\$4 adj1 port\$1	USPAT; US-PGPUB; EPO; JPO;	2003/11/15 19:
			DERWENT; IBM_TDB	
-	48	compar\$4 adj5 source adj5 address adj5 port\$1	USPAT; US-PGPUB; EPO; JPO;	2003/11/15 19:
	31	(compar\$4 adj5 source adj5 address adj5 port\$1) and	DERWENT; IBM_TDB USPAT;	2002/11/15 21.
	31	@ad<20000807	US-PGPUB; EPO; JPO;	2003/11/15 21:
-	2	("6363056").PN.	DERWENT; IBM_TDB USPAT;	2003/11/15 20:
	-	(US-PGPUB; EPO; JPO;	2000/11/10 20.
_	15274	advanced adj1 micro.as.	DERWENT; IBM_TDB USPAT;	2003/11/15 21:
			US-PGPUB; EPO; JPO; DERWENT;	, ==, == ===
-	14874	advanced adj1 micro adj1 devices.as.	IBM_TDB USPAT;	2003/11/15 21:
			US-PGPUB; EPO; JPO;	

Search History 7/26/04 5:48:00 PM Page 8

-	5	("5515376" "5838681" "6236643" "6363077" "6393021").PN.	USPAT	2003/11/15 21:09
-	2	("5828846").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/16 16:57
		(#4000500# #5040474# #5006400# #6000600#	IBM_TDB	0000444464050
-	8	("4922503" "5343471" "5396493" "6038600" "6128729" "6169741" "6301256" "6308218").PN.	USPAT	2003/11/16 13:52
-	131	("H000586" "Re33426" "3735357" "4213201"	USPAT	2003/11/16 14:01
		"4589120" "4597078" "4627052" "4706081" "4707827" "4710769" "4715030" "4718060"		
		"4723311" "4727537" "4727538" "4737953"		
		"4744078" "4797879" "4823338" "4849962"		
		"4878216" "4901308" "4905219" "4933937"		
		"4935922" "5016159" "5020052" "5027350"		
		"5048014" "5107489" "5119367" "5140585"		
		"5151897" "5151994" "5166926" "5184346"		
		"5229993" "5241550" "5243699" "5274631"		
		"5307345" "5337309" "5339316" "5353353"		
		"5379289" "5379296" "5386413" "5404459"		
		"5410754" "5430762" "5432511" "5434861" "5442579" "5446726" "5448565" "5457446"		
		"5442578" "5446726" "5448565" "5457446" "5457679" "5481540" "5487067" "5502748"		
	j	"5457679" "5481540" "5487067" "5502748" "5506902" "5515376" "5515513" "5517494"		
		"5521913" "5522059" "5530434" "5541923"		
		"5550826" "5559796" "5560038" "5565929"		
		"5568476" "5568643" "5570330" "5570466"		
		"5598161" "5598278" "5598391" "5598581"		
		"5600664" "5602851" "5608730" "5608879"		
		"5610905" "5617421" "5621725" "5640399"		
		"5680622" "5721927" "5751952" "5757795"		
		"5761435" "5764895" "5796944" "5802047"		
		"5805816" "5844903" "5852607" "5857075"		
		"5859837" "5864554" "5878028" "5884040"		
1		"5917821" "5923654" "5923660" "5926473"		
		"5940596" "5940597" "5946308" "5949788"		
		"5951651" "5978378" "5991305" "6018526"		
		"6044080" "6067300" "6070205" "6075773"		
		"6081532" "6084877" "6088356" "6091725" "6094434" "6098110" "6108345" "6111874"		
		"6122277" "6130891" "6137797").PN.		
-	2	("6446131").PN.	USPAT; US-PGPUB;	2003/11/16 16:57
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5	("5142531" "5317566" "5537392" "5825772" "5881243").PN.	USPAT	2003/11/16 17:39
-	28	(US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or	USPAT	2003/11/16 18:31
		US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or		
		US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or		
		US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or		
		US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or		
		US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or		
		US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or		
		US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or		
		US-5140585-\$).did.	1	

-	0	("50and(alertoralarmornotification)").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/16 18:32
-	0	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or	IBM_TDB USPAT;	2003/11/16 18:33
		US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
	. _	US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or US-5140585-\$).did.) and (discard\$4 adj10 (alert\$1 or alarm or notification))		
-	0	discard\$4 adj10 pacekt adj10 (alert\$1 or alarm or notification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:07
-	7	(discard\$4 adj10 packet\$1 adj10 (alert\$1 or alarm\$1 or notification\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:16
-	11	discard\$4 adj20 packet\$1 adj20 (alert\$1 or alarm\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:13
-	1	(discard\$4 adj20 packet\$1 adj20 (alert\$1 or alarm\$1)) and @ad<20000807	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:08
-	15	("5282203" "5311509" "5628051" "5655219" "5684791" "5701312" "5729530" "5844918" "5870548" "5999528" "6047272" "6058290" "6078568" "6144636" "6163861").PN.	USPAT	2003/11/16 18:41
-	0	pacekt adj10 (alert\$1 or alarm or notification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:07
-	487	packet adj10 (alert\$1 or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:08
-	320	packet adj5 (alert\$1 or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:08
-	47	packet adj1 (alert\$1 or alarm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/16 19:11

-	33	(packet adj1 (alert\$1 or alarm)) and @ad<20000807	USPAT; US-PGPUB;	2003/11/16 19:16
			EPO; JPO;	
			DERWENT; IBM_TDB	
<u>-</u>	585	packet near5 (alert\$1 or alarm)	USPAT;	2003/11/16 19:11
		packet risults (a.e. 42 or arann)	US-PGPUB;	2000/11/10 15:11
			EPO; JPO;	
			DERWENT;	
	2	("6330435").PN.	IBM_TDB USPAT;	2003/11/16 19:13
		(0550455).FN:	US-PGPUB;	2003/11/10 19.13
			EPO; JPO;	
			DERWENT;	
	45	(#5202202# #5244500# #5520054# #5555240#	IBM_TDB	2002/44/46 40:42
-	15	("5282203" "5311509" "5628051" "5655219" "5684791" "5701312" "5729530" "5844918"	USPAT	2003/11/16 19:13
		3664791 3761312 3729336 3644916 "5870548" "5999528" "6047272" "6058290"		
		"6078568" "6144636" "6163861").PN.		
-	26	discard\$4 adj10 packet\$1 adj10 (alert\$1 or alarm\$1 or	USPAT;	2003/11/16 19:16
		notification\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	<u> </u>
			IBM_TDB	
-	331	discard\$4 adj10 (alert\$1 or alarm\$1 or notification\$1)	USPAT;	2003/11/16 19:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	221	(discard\$4 adj10 (alert\$1 or alarm\$1 or notification\$1)) and	USPAT;	2003/11/16 19:18
		@ad<20000807	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	26	discard\$4 adj10 packet\$4 adj10 (alert\$1 or alarm\$1 or	USPAT;	2003/11/16 19:28
		notification\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	33	discard\$4 adj20 packet\$4 adj20 (alert\$1 or alarm\$1 or	USPAT;	2003/11/16 19:17
		notification\$1)	US-PGPUB;	, = =, = = = = = = = = = = = = = = = =
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	9	discard\$4 adj20 packet\$4 adj20 (alert\$1 or alarm\$1 or	USPAT;	2003/11/16 19:28
		notification\$1)) and @ad<20000807	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	6062	generating adj1 (alaert or alarm)	IBM_TDB USPAT;	2003/11/16 19:26
	0002	generating dujt (dident or diditil)	US-PGPUB;	2505/11/10 19.20
			EPO; JPO;	
			DERWENT;	
_	6813		IBM_TDB	2003/11/16 10:26
_	0013	generating adj1 (alert or alarm)	USPAT; US-PGPUB;	2003/11/16 19:26
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	

-	3622	discard\$4 adj10 packet\$4	USPAT; US-PGPUB;	2003/11/16 19:27
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	4	(generating adj1 (alert or alarm)) and (discard\$4 adj10	USPAT;	2003/11/16 19:27
		packet\$4)	US-PGPUB;	
			EPO; JPO;	
	:		DERWENT; IBM_TDB	
1_	218	discard\$4 same packet\$4 same (alert\$1 or alarm\$1 or	USPAT;	2003/11/16 19:28
	210	notification\$1)	US-PGPUB;	2003/11/10 13.20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	107	(discard\$4 same packet\$4 same (alert\$1 or alarm\$1 or	USPAT;	2003/11/16 19:48
		notification\$1)) and @ad<20000807	US-PGPUB;	!
			EPO; JPO;	
	:		DERWENT;	
		(115 4775 4711) DAI	IBM_TDB	2002/44/46 40-40
-	2	("5477547").PN.	USPAT;	2003/11/16 19:49
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	("6446131").PN.	USPAT;	2003/11/16 19:49
	_	(0 1 10202)	US-PGPUB;	=====================================
			EPO; JPO;	
			DERWENT;	
	:		IBM_TDB	
-	28	(US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or	USPAT	2003/11/17 08:17
	-	US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or		
		US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or		
		US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or		
		US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or		
		US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or		
		US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or		
		US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or		1
		US-5140585-\$).did.		
-	0	("1and(iporinternet)").PN.	USPAT;	2003/11/17 08:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	12	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or	IBM_TDB USPAT;	2003/11/17 08:19
-	12	US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or	US-PGPUB;	2003/11/17 00:13
		US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or	EPO; JPO;	
		US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or	DERWENT;	
		US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or	IBM_TDB	
		US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or		
		US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or		
		US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or		
		US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or		
	1	US-5140585-\$).did.) and (ip or internrt)		<u></u>

-	3	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 09:53
-	13	US-5140585-\$).did.) and (ip or internet) adj1 packet\$1 ((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:04
-	0	US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or US-5140585-\$).did.) and (rout\$4 adj1 (tree\$1 or table\$1)) (calculat\$4 or determin\$4) adj1 expected adj1 path\$1 adj5 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 11:27
-	0	(calculat\$4 or determin\$4) adj5 expected adj5 path\$1 adj5 (rout\$4 adj1 (tree\$1 or table\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 10:05
-	35	(calculat\$4 or determin\$4) adj5 path\$1 adj5 (rout\$4 adj1 (tree\$1 or table\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 10:08
-	13	((calculat\$4 or determin\$4) adj5 path\$1 adj5 (rout\$4 adj1 (tree\$1 or table\$1))) and @ad<20000807	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 18:27
-	0	(calculat\$4 or determin\$4) adj5 path\$1 adj5 incom\$4 adj5 packet\$1 adj10 (rout\$4 adj1 (tree\$1 or table\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 10:09
-	0	(calculat\$4 or determin\$4) adj10 path\$1 adj10 incom\$4 adj10 packet\$1 adj10 (rout\$4 adj1 (tree\$1 or table\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:10
-	8148	(calculat\$4 or determin\$4) adj20 path\$1 adj20 incom\$4 adj20 packet\$1 ad20 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:10
-	0	(calculat\$4 or determin\$4) adj15 path\$1 adj15 incom\$4 adj15 packet\$1 adj20 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:16

-		3	(calculat\$4 or determin\$4) adj15 incom\$4 adj15 packet\$1 adj20 (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB;	2003/11/17 10:11
				EPO; JPO; DERWENT;	
-		53	(calculat\$4 or determin\$4) same path\$1 same incom\$4	IBM_TDB USPAT;	2003/11/17 10:21
			same packet\$1 same (rout\$4 adj1 (tree\$1 or table\$1))	US-PGPUB; EPO; JPO;	
				DERWENT; IBM_TDB	
-		32	((calculat\$4 or determin\$4) same path\$1 same incom\$4	USPAT;	2003/11/17 10:23
- -			same packet\$1 same (rout\$4 adj1 (tree\$1 or table\$1))) and @ad<20000807	US-PGPUB; EPO; JPO;	
				DERWENT; IBM_TDB	
-		172	(calculat\$4 or determin\$4) same incom\$4 same packet\$1 same (rout\$4 adj1 (tree\$1 or table\$1))	USPAT; US-PGPUB;	2003/11/17 10:22
				EPO; JPO; DERWENT;	
		84	((calculat\$4 or determin\$4) same incom\$4 same packet\$1	IBM_TDB USPAT;	2003/11/17 10:22
-		04	same (rout\$4 adj1 (tree\$1 or table\$1))) and	US-PGPUB;	2003/11/17 10.22
			@ad<20000807	EPO; JPO; DERWENT;	
-		0	((US-5640504-\$ or US-4999829-\$ or US-4805107-\$ or	IBM_TDB USPAT;	2003/11/17 11:27
			US-6104696-\$ or US-5844887-\$ or US-5764624-\$ or US-6016310-\$ or US-5404461-\$ or US-5781715-\$ or	US-PGPUB; EPO; JPO;	
			US-5841990-\$ or US-5737525-\$ or US-5500860-\$ or US-5421024-\$ or US-6535489-\$ or US-6363077-\$ or	DERWENT; IBM_TDB	
			US-6181699-\$ or US-6597661-\$ or US-6510154-\$ or US-6496940-\$ or US-6098109-\$ or US-6347078-\$ or	_	·
			US-5845091-\$ or US-5926473-\$ or US-6308218-\$ or US-5946308-\$ or US-5802047-\$).did. or (US-5610905-\$ or		
			US-5140585-\$).did.) and (calculat\$4 or determin\$4) adj1 path\$1 adj1 (rout\$4 adj1 (tree\$1 or table\$1))		
-		2	("6621796").PN.	USPAT;	2003/11/17 18:27
		i		US-PGPUB; EPO; JPO;	
				DERWENT; IBM_TDB	
-		2	("6104696").PN.	USPAT; US-PGPUB;	2003/11/17 18:27
				EPO; JPO; DERWENT;	
_		2	("5477547").PN.	IBM_TDB USPAT;	2003/11/17 18:28
		_	- · · /····	US-PGPUB; EPO; JPO;	
				DERWENT; IBM_TDB	
-	•	2	("5946308").PN.	USPAT;	2003/11/17 18:29
				US-PGPUB; EPO; JPO;	
		_	(IICEDOCECII) DA	DERWENT; IBM_TDB	2000/21/2
-		2	("6522656").PN.	USPAT; US-PGPUB;	2003/11/17 18:29
				EPO; JPO; DERWENT;	
				IBM_TDB	

			T	1 2222
-	2	("6321338").PN.	USPAT;	2003/11/17 18:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1.	2	("6510154").PN.	USPAT;	2003/11/17 18:30
1	_	(051015 /) (US-PGPUB;	2000,11,17 10:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5737525").PN.	USPAT;	2003/11/17 18:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
_	157	(discard\$4 and packet\$1 and port\$1).ab.	USPAT;	2004/07/23 16:01
	137	(discard) rand packety1 and porty1).ab.	US-PGPUB;	2001/07/25 10:01
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	3741	(expect\$4 adj (port or input or output))	USPAT;	2004/07/23 16:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	329	(expect\$4 same actual) and 370/\$.ccls. and discard\$4	USPAT;	2004/07/23 16:04
-	329	(expection same actual) and 570/p.ccis. and discardor	US-PGPUB;	2004/07/23 10.04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((discard\$4 and packet\$1 and port\$1).ab.) and ((expect\$4	USPAT;	2004/07/23 16:03
		same actual) and 370/\$.ccls. and discard\$4)	US-PGPUB;	
		, .,	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
	0	(/discard\$4 and nasket\$1 and nort\$1) ab) and ((expect\$4	USPAT;	2004/07/23 16:04
_		((discard\$4 and packet\$1 and port\$1).ab.) and ((expect\$4		2004/07/23 10:04
		adj (port or input or output)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	27	(expect\$4 same actual same port\$1) and 370/\$.ccls. and	USPAT;	2004/07/23 16:43
		discard\$4	US-PGPUB;	
	1	·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	69	(expect\$4 same actual same (input\$4 output\$4)) and	USPAT;	2004/07/23 16:16
-				2007/07/23 10.10
		370/\$.ccls. and discard\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	compar\$4 near10 expect\$4 near10 actual near10 port\$1	USPAT;	2004/07/23 16:17
			US-PGPUB;	
			EPO; JPO;	[
			DERWENT;	
			IBM_TDB	
		compart4 near10 expecte4 near10 (actual real) near10		2004/07/22 46:20
-	8	compar\$4 near10 expect\$4 near10 (actual real) near10	USPAT;	2004/07/23 16:20
		port\$1	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB_	

•	1634	compar\$4 near10 port near10 (number\$1 address\$4)	USPAT; US-PGPUB;	2004/07/23 16:20
	, ,		EPO; JPO;	
			DERWENT;	
	994		IBM_TDB	2004/07/22 16:20
-	321	compar\$4 adj5 port adj5 (number\$1 address\$4)	USPAT;	2004/07/23 16:20
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	72	(compar\$4 adj5 port adj5 (number\$1 address\$4)) and	USPAT;	2004/07/23 16:21
		((rout\$4 forward\$4) near3 (list\$1 table\$1))	US-PGPUB;	
			EPO; JPO;	
]		DERWENT;	
	60		IBM_TDB	2004/07/22 16:42
-	68	(expect\$4 same actual same port\$1) and discard\$4	USPAT; US-PGPUB;	2004/07/23 16:43
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	48	(expect\$4 same actual same port\$1) and 370/\$.ccls.	USPAT;	2004/07/23 16:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(IBM_TDB	2004/07/22 16:47
-	14	(expect\$4 same unexpect\$4 same port\$1) and 370/\$.ccls.	USPAT; US-PGPUB;	2004/07/23 16:47
			EPO; JPO;	
		·	DERWENT;	:
			IBM_TDB	
_	2	(provision\$4 same real\$1 same port\$1).ab. and 370/\$.ccls.	USPAT;	2004/07/23 16:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	54	provision\$4 same real\$1 same port\$1) and 370/\$.ccls.	IBM_TDB USPAT;	2004/07/23 16:58
-	34	(provisions and reast same ports) and 570/s.ccis.	US-PGPUB;	2004/07/23 10.30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	51	spurious.ab. and 370/\$.ccls.	USPAT;	2004/07/23 16:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	5	spurious.ab. and 370/\$.ccls. and packet\$1	USPAT;	2004/07/23 16:59
		Spanoasias, and 57 0/ p.ccis. and packetys	US-PGPUB;	230 1, 0, 723 10.33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	spurious.ab. and 370/\$.ccls. and (port\$1)	USPAT;	2004/07/23 17:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	16	(spurious near3 packet\$1) and 370/\$.ccls. and (port\$1)	USPAT;	2004/07/23 17:02
		(Spanisas ricais packety) and 37 0/4.ccis. and (portf1)	US-PGPUB;	200 1, 01, 25 17.02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	2	("5477547").PN.	USPAT;	2004/07/23 17:02
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1.	26	5477547.URPN.	USPAT	2004/07/23 17:02
	20	("5477547").PN.	USPAT;	2004/07/23 17:29
		(5477547).FN.	US-PGPUB;	200 1/07/23 17:23
			EPO; JPO;	
			DERWENT;	
		00/500740	IBM_TDB	2004/07/22 47:20
-	0	09/633719	USPAT;	2004/07/23 17:29
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	98	((actual real) and port\$1).ab. and 370/\$.ccls.	USPAT;	2004/07/25 11:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	112	((actual real expect\$4) and port\$1).ab. and 370/\$.ccls.	USPAT;	2004/07/25 11:26
		((assess to all expects i) and porture just and or of process	US-PGPUB;	-30 ., 5., 25 11.20
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	144	((net all year) sympeth(4) and now(t1) and 270/th cells, and		2004/07/25 11:20
-	144	((actual real expect\$4) and port\$1) and 370/\$.ccls. and	USPAT;	2004/07/25 11:29
		securit\$4.ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
ì			IBM_TDB	
-	14	((actual real expect\$4) near10 port\$1) and 370/\$.ccls. and	USPAT;	2004/07/25 11:33
		securit\$4.ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	22	(compar\$4 near10 port\$1) and 370/\$.ccls. and securit\$4.ab.	USPAT;	2004/07/25 11:39
			US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
1_	8	(compar\$4 near10 ports) and 370/\$.ccls. and securit\$4.ab.	USPAT;	2004/07/25 11:40
-	•	(compary incarto porce) and 570/p.ccis. and security r.ab.	US-PGPUB;	230 1/07/23 11.40
1			EPO; JPO;	
	1		DERWENT;	
1	1	//	IBM_TDB	2004/07/25 44:42
1 -	24	((compar\$4 near10 port\$1) same securit\$4) and 370/\$.ccls.	USPAT;	2004/07/25 11:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(((duplicat\$4 redundant\$4) near3 packet\$4) and ports).ab.	USPAT;	2004/07/25 11:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	1	((discard\$4 near3 ((duplicat\$4 redundant\$4) near3	USPAT;	2004/07/25 11:51
		packet\$4)) and ports).ab.	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1				
L	L		IBM_TDB	l

-	4	((discard\$4 near3 ((duplicat\$4 redundant\$4) near3 packet\$4)) same ports)	USPAT; US-PGPUB;	2004/07/25 11:53
,			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	((discard\$4 same ((duplicat\$4 redundant\$4) same	USPAT;	2004/07/25 11:53
		packet\$4)) same ports)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	((discard\$4 near10 ((duplicat\$4 redundant\$4) near10	USPAT;	2004/07/25 12:23
		packet\$4)) same ports)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	2	("6446131").PN.	USPAT;	2004/07/25 12:23
	2	(0770131).FN.	US-PGPUB;	2001/07/23 12.23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	("4922503" "5343471" "5396493" "6038600"	USPAT	2004/07/25 12:23
		"6128729" "6169741" "6301256" "6308218").PN.		
-	1	6446131.URPN.	USPAT	2004/07/25 12:30
-	20	(compar\$4 near10 port\$1 near10 (address\$4 and	USPAT;	2004/07/25 13:40
		number\$1)).ab.	US-PGPUB;	
			EPO; JPO;]
			DERWENT;	
	_	40 (14) 110 110 110 110 110 110 110 110 110 11	IBM_TDB	2004/07/25 42 45
-	2	(compar\$4 near10 port\$1 near10 (address\$4 and	USPAT;	2004/07/25 13:45
		number\$1)) and ((remov\$4 discard\$4) near10 ("same"	US-PGPUB;	
		duplicate\$4) near10 packet\$1)	EPO; JPO;	
			DERWENT; IBM_TDB	
_	63	(compar\$4 near10 (source receiv\$4) near10 port\$1 near10	USPAT;	2004/07/25 13:46
		(address\$4 and number\$1))	US-PGPUB;	2001/07/20 20:10
		(address) (and names (42))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	("5751971" "6094431" "6145011" "6249820"	USPAT	2004/07/25 13:51
		"6523069" "6618366" "2002/0009073" "2002/0124084"		
		"2002/0196782").PN.		
-	779	709/249.ccls.	USPAT;	2004/07/26 08:48
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	2884	370/401,911.ccls.	USPAT;	2004/07/26 08:48
	2001	373/132/311.003.	US-PGPUB;	230 1/07/20 00. 10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1372	(discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4	USPAT;	2004/07/26 08:49
		or spuriou\$4) near10 (packet\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	2004/07/25 55 55
-	119	((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and	USPAT;	2004/07/26 09:25
		((actual or real or definite) near3 port\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	<u> </u>

3125	(erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/26 09:07
40	(((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1)) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/26 08:51
. 0	(((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and	IBM_TDB USPAT;	2004/07/26 08:51
- 1 - 1 - 1	((actual or real or definite) near3 port\$1)) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1) and ((discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1))	DS-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
40	(((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1)) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/26 08:56
0	((discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1)) and (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/26 08:56
2	709/249.ccls. and 3.ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT:	2004/07/26 09:01
35	709/249.ccls. and ((discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/26 09:01
1	709/249.ccls. and (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/26 09:01
22	709/249.ccls. and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/26 08:59
1	370/401,911.ccls. and 3.ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/26 09:01
68	370/401,911.ccls. and ((discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/26 09:01
6	370/401,911.ccls. and (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:03
	40 40 40 2 35	mistake) near3 port\$1 40 (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1) 0 (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1)) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1) and ((discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1)) (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((expo\$4 or fault\$4 or corrupt\$4 or spuriou\$4) near3 port\$1) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1) 0 ((discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1)) and (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1)) 709/249.ccls. and ((discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1)) 1 709/249.ccls. and (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1)) 2 709/249.ccls. and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1) 1 370/401,911.ccls. and ((discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1))	mistake) near3 port\$1 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1)) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1) U((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1)) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1) and ((actual or real or definite) near3 port\$1) and ((actual or real or definite) near3 port\$1) and ((actual or real or definite) near3 port\$1) and ((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1) and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1) U((discard\$ or drop\$4 or remov\$4) near10 (fault\$4 or error\$4 or spuriou\$4) near10 (packet\$1)) and ((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) and ((actual or real or definite) near3 port\$1) and (actual or re

-	67	370/401,911.ccls. and ((erro\$4 or fault\$4 or corrupt\$4 or wrong or inaccurate or mistake) near3 port\$1)	USPAT; US-PGPUB;	2004/07/26 09:03
			EPO; JPO;	
			DERWENT;	
	8	((expect\$4 or anticipat\$4 or project\$4) adj3 port\$1) same	IBM_TDB USPAT;	2004/07/26 09:07
	•	((actual or real or definite) adj3 port\$1)	US-PGPUB;	200-1/07/20 03.07
		(decidal of real of definite) days portary	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2024/27/26 22 24
-	19	((expect\$4 or anticipat\$4 or project\$4) near3 port\$1) same	USPAT; US-PGPUB;	2004/07/26 09:06
		((actual or real or definite) near3 port\$1)	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	44	((erro\$4 fault\$4 corrupt\$4 wrong inaccurate mistake	USPAT;	2004/07/26 09:08
		spurious\$4) adj1 port\$1).ab.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	369	((assigned) near3 port\$1) and ((actual or real or definite)	USPAT;	2004/07/26 09:26
		near3 port\$1)	US-PGPUB,	
			EPO; JPO;	
			DERWENT;	
1_	49	((assigned) near3 port\$1) same ((actual or real or definite)	IBM_TDB USPAT;	2004/07/26 10:27
		near3 port\$1)	US-PGPUB;	2001/07/2010.27
		, nems ps/4-7	EPO; JPO;	
			DERWENT;	
	242	742/454 454 - 1-	IBM_TDB	2004/07/26 40-20
-	242	713/151,154.ccls.	USPAT; US-PGPUB;	2004/07/26 10:28
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	(compar\$4 near10 port\$1 near10 (drop\$4 discard\$4	USPAT;	2004/07/26 10:39
		remov\$4)) and 713/151,154.ccls.	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(compar\$4 same port\$1 same (drop\$4 discard\$4 remov\$4))	USPAT;	2004/07/26 10:31
		and 713/151,154.ccls.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	15	(compar\$4 same port\$1) and 713/151,154.ccls.	USPAT;	2004/07/26 10:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	46	((drop\$4 discard\$4 remov\$4) near10 packet\$1) and	USPAT;	2004/07/26 10:50
		713/151,154.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	2	("6665733").PN.	IBM_TDB USPAT;	2004/07/26 10:50
		(0000700).i.ii.	US-PGPUB;	200 1/07/20 10.50
			EPO; JPO;	
:			DERWENT;	
	L		IBM_TDB	

-	1	(("6665733").PN.) and (assign\$4 near3 port\$1)	USPAT;	2004/07/26 11:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	4
-	2	("5477547").PN.	USPAT;	2004/07/26 11:16
1			US-PGPUB;	
			EPO; JPO;	
İ			DERWENT;	
			IBM_TDB	